

7

HAIR COSMETIC

Publication number: JP60174707 (A)

Publication date: 1985-09-09

Inventor(s): KANAYAMA HIROSHI; INUI MASAYOSHI; ANDOU SATOSHI;
NOHARA SABUROU +

Applicant(s): KANEBO LTD +

Classification:


- **International:** A61K8/00; A61K8/25; A61K8/26; A61Q5/00; A61Q5/02;
A61K8/00; A61K8/19; A61Q5/00; A61Q5/02; (IPC1-7): A61K7/06

- **European:** A61Q5/00F; A61K8/26

Application number: JP19840032092 19840221

Priority number(s): JP19840032092 19840221

Also published as:

 JP5024125 (B)

Abstract of JP 60174707 (A)

PURPOSE: To provide a hair cosmetic containing zeolite fine particles holding metallic ions selected from silver, copper and zinc, having excellent antibacterial property and preventive effect to dandruff and itchiness, giving hair with smoothness and excellent feeling, free from irritation to the skin, and safe to the human body. **CONSTITUTION:** The hair cosmetic having the above effects can be prepared by adding zeolite fine particles holding at least one kind of metallic ion selected from silver, copper and zinc and preferably having a specific surface area of $150-1,000\text{m}^2/\text{g}$. The amount of the zeolite in the whole composition is 0.001-50wt%, preferably 0.1-20wt%. The amount of the metal in the zeolite is $\leq 30\text{wt}\%$, preferably 0.01-5wt% for silver, and $\leq 35\text{wt}\%$, preferably 0.01-15wt% for copper and zinc.; The average particle diameter of the zeolite is preferably $\leq 2\mu\text{m}$, and the maximum diameter is preferably $\leq 10\mu\text{m}$.

Data supplied from the *espacenet* database — Worldwide